9.0 LITERATURE CITED

- Abele, L.G. and W. Kim, 1986. An Illustrated Guide to the Marine Decapod Crustaceans of Florida, Part 1. Florida Department of Environmental Regulation Technical Series, Volume 8 Number 1. Florida State University, Tallahassee, FL.
- Ackerman, B.B., 1995. Aerial Surveys of Manatees: A Summary and Progress Report, pp. 13-33. In: T.J. O'Shea, B.B. Ackerman, and H.F. Percival (eds.), Population Biology of the Florida Manatee, National Biological Service Information and Tech. Rep. Number 1, 289 pp.
- Amato, R.V., 1993. Sand and Gravel Maps of the Atlantic Continental Shelf with Explanatory Text. U.S. Department of the Interior, Minerals Management Service, OCS Monograph, MMS 93-0037, 35 pp. + 4 maps.
- Anders, F.J. and M.R. Byrnes, 1991. Accuracy of shoreline change rates as determined from maps and aerial photographs. Shore and Beach, 59(1): 17-26.
- Anderson, W.W. and J.W. Gehringer, 1965. Biological and Statistical Census of the Species Entering Fisheries in the Cape Canaveral Area. United States Fish and Wildlife Service, Bureau of Commercial Fisheries Special Scientific Report-Fisheries 514, 79 pp.
- Applied Biology, Inc., 1979. Biological Studies Concerning Dredging and Beach Nourishment at Duval County, Florida with a Review of Pertinent Literature. U.S. Army Corps of Engineers, Jacksonville District, Jacksonville, FL.
- Arnold, D.W., 1992. The Scientific Rationale for Restricting Coastal Construction Activities During the Marine Turtle Nesting Season. In: L.S. Tait (comp.), New Directions in Beach Management, Proceedings of the 5th Annual National Conference on Beach Preservation Technology, St. Petersburg, FL, February 2-14, 1992, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 374-380.
- Atkinson, L.P. and T.E. Targett, 1983. Upwelling along the 60-m isobath from Cape Canaveral to Cape Hatteras and its relationship to fish distribution. Deep-Sea Research, 30(2A): 221-226.
- Avent, R.M., M.E. King, and R.H. Gore, 1977. Topographic and faunal studies of shelf-edge prominences off the central eastern Florida coast. Internationale Revue der Gesamten Hydrobiologie, 62(2): 185-208.
- Bak, R.P.M., 1978. Lethal and sublethal effects of dredging on reef coral. Marine Pollution Bulletin, 9(1): 14-16.
- Banks, G.E. and M.P. Alexander, 1994. Development and Evaluation of a Sea Turtle-Deflecting Hopper Dredge Draghead. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper HL-94-5.
- Barros, N.B., 1993. Feeding Ecology and Foraging Strategies of Bottlenose Dolphins on the Central East Coast of Florida. Ph.D. Dissertation, University of Miami, 328 pp.
- Barros, N.B. and D.K. Odell, 1990. Food Habits of Bottlenose Dolphins in the Southeastern United States. In: S. Leatherwood and R.R. Reeves (eds.), The Bottlenose Dolphin, Academic Press, Inc., San Diego, CA, pp. 309-328.
- Barry A. Vittor & Associates, Inc., 1990. Savannah Harbor Ocean Dredged Material Disposal Site (ODMDS) Benthic Communities. U.S. Environmental Protection Agency.

- Barry A. Vittor & Associates, Inc., 1991. Canaveral Harbor, Florida 1990 Ocean Dredged Material Disposal Site (ODMDS) Benthic Communities. U.S. Environmental Protection Agency.
- Barry A. Vittor & Associates, Inc., 1999. Pre- and Post-Dredging Monitoring of Macroinvertebrate Assemblages at a Borrow Area Located Offshore of Coney Island, New York: 1992-1998 Data Synthesis. U.S. Army Corps of Engineers, New York District, 10 pp. + app.
- Barry A. Vittor & Associates, Inc., 2000. Ft. Pierce, Florida 1999 Ocean Dredged Material Disposal Site (ODMDS) Benthic Community Assessment. U.S. Environmental Protection Agency.
- Barry, M., 1978. Behavioral Response of Yellowfin Tuna, *Thunnus albacares*, and Kawakawa, *Euthynnus affinis*, to Turbidity. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Environmental Research Laboratories, Pacific Marine Environmental Laboratory, Seattle, WA. Deep Ocean Mining Environmental Study (DOMES), Unpublished Manuscript Number 31, National Technical Information Service Number PB-297, 106 pp.
- Bartol, S.M., J.A. Musick, and M. Lenhardt, 1999. Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). Copeia, 99(3): 836-840.
- Bartsch, A.F., 1960. Settleable Solids, Turbidity, and Light Penetration as Factors Affecting Water Quality. In: C. Tarzwell (ed.), Biological Problems in Water Pollution, U.S. Public Health Service Publication Number W60-3, pp. 118-127.
- Battjes, J.A. and J.P. Janssen, 1978. Energy Loss and Set-up Due to Breaking of Random Waves. Proceeding 23rd International Conference on Coastal Engineering, American Society Civil Engineers, New York, pp. 569-587.
- Benfield, M.C. and T.J. Minello, 1996. Relative effects of turbidity and light intensity on reactive distance and feeding of an estuarine fish. Environmental Biology of Fishes, 46: 211-216.
- Berry, S.A., 1990. Canaveral Harbor Entrance Channel Operational Measures to Protect Sea Turtles. In: D.D. Dickerson and D.A. Nelson (comps.), Proceedings of the National Workshop on Methods to Minimize Dredging Impacts on Sea Turtles, Jacksonville, Florida, U.S. Army Engineer Waterways Experiment Station, Environmental Effects Laboratory, Vicksburg, MS, Miscellaneous Paper EL-90-5, pp. 49-52.
- Biggs, R.B., 1968. Environmental Effects of Overboard Spoil Disposal. Journal of Sanitary Engineering Division 94, Number SA3, Proceeding Paper 5979, pp. 477-478.
- Blair, S.M. and B.S. Flynn, 1988. Sunny Isles Beach Restoration Project: Mechanical Damage to the Reefs Adjacent to the Borrow Area. Metropolitan Dade County Department of Environmental Resources Management Tech. Rep. 88-14, 33 pp.
- Blair, S.M., B.S. Flynn, and S. Markley, 1990. Characteristics and Assessment of Dredge Related Mechanical Impact to Hard-Bottom Reef Areas off Northern Dade County, FL. In: W.C. Jaap, Proceedings of the American Academy of Underwater Sciences Tenth Annual Scientific Diving Symposium, Diving for Science 1990, Costa Mesa, CA, pp. 5-20.
- Blake, N.J., L.J. Doyle, and J.J. Culter, 1995. Impacts and Direct Effects of Sand Dredging for Beach Renourishment on the Benthic Organisms and Geology of the West Florida Shelf. U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA. Executive Summary, OCS Report MMS 95-0004, 23 pp. Final Report, OCS Report MMS 95-0005, 109 pp. Appendices, OCS Report MMS 95-0005.
- Blaylock, R.A. and W. Hoggard, 1994. Preliminary Estimates of Bottlenose Dolphin Abundance in Southern U.S. Atlantic and Gulf of Mexico Continental Shelf Waters. NOAA Tech. Mem. NMFS-SEFSC-356, 10 pp.
- Blaylock, R.A., J.W. Hain, L.J. Hansen, D.L. Palka, and G.T. Waring, 1995. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments. NOAA Tech. Mem. NMFS-SEFSC-363, 211 pp.

- Boesch, D.F., 1972. Species diversity of marine macrobenthos in the Virginia area. Chesapeake Science, 13(3): 206-211.
- Boesch, D.F., 1973. Classification and community structure of macrobenthos in the Hampton Roads area, Virginia. Marine Biology, 21: 226-244.
- Boesch, D.F., 1977. A New Look at the Zonation of Benthos Along the Estuarine Gradient. In: B.C. Coull (ed.), Ecology of Marine Benthos, University of South Carolina Press, Columbia, SC, pp. 245-266.
- Bonsdorff, E., 1983. Recovery Potential of Macrozoobenthos from Dredging in Shallow Brackish Waters. In: L. Cabioch et al. (eds.), Fluctuations and Succession in Marine Ecosystems: Proceedings of the 17th European Symposium on Marine Biology, Brest, Oceanologica Acta, pp. 27-32.
- Bowen, P.R. and G.A. Marsh, 1988. Benthic Faunal Colonization of an Offshore Borrow Pit in Southeastern Florida. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper D-88-5.
- Bray, J.R. and J.T. Curtis, 1957. An ordination of the upland forest communities of southern Wisconsin. Ecological Monographs, 27: 325-349.
- Briggs, J.C., 1974. Marine Zoogeography. McGraw Hill, New York, NY.
- Britt & Associates, Inc., 1979. Reef Damage Survey for the Broward County Erosion Prevention Division, Broward County, FL, 166 pp.
- Brown, B.E. and L.S. Howard, 1985. Assessing the effects of stress on reef corals. Advances in Marine Biology, 22: 1-63.
- Brown, C.B., 1950. Sediment Transportation. In: H. Rouse (ed.), Engineering Hydraulics, John Wiley and Sons, New York, 1,039 pp.
- Bruton, M.N., 1985. The effects of suspensoids on fish. Hydrobiologia, 125: 221-241.
- Burke, V.J., S.J. Morreale, P. Logan, and E.A. Standora, 1992. Diet of Green Turtles (*Chelonia mydas*) in the Waters of Long Island, New York. In: M. Salmon and J. Wyneken (eds.), Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation, NOAA Tech. Mem. NMFS-SEFC-302, pp. 140-142.
- Burke, V.J., E.A. Standora, and S.J. Morreale, 1993. Diet of juvenile Kemp's ridley and loggerhead sea turtles from Long Island, New York. Copeia, 1993: 1,176-1,180.
- Burlas, M., G.L. Ray, and D. Clarke, 2001. The New York District's Biological Monitoring Program for the Atlantic Cost of New Jersey, Asbury Park to Manasquan Section Beach Erosion Control Project, Final Report. U.S. Army Corps of Engineers, New York District, Engineer Research and Development Center and Waterways Experiment Station.
- Byles, R.A., 1988. Satellite Telemetry of Kemp's Ridley Sea Turtle, *Lepidochelys kempii*, in the Gulf of Mexico. National Fish and Wildlife Foundation, 40 pp.
- Byrnes, M.R. and J.L. Baker, 2003. Inlet and Nearshore Morphodynamics. In: N.C. Kraus and H.T. Arden (eds.), North Jetty Performance and Entrance Navigation Channel Maintenance, Grays Harbor, Washington, Volume I: Main Text. U.S. Army Corps of Engineers, Engineer Research and Development Center, ERDC/CHL TR-03-12, pp. 3-1 to 3-70.
- Byrnes, M.R. and C.G. Groat, 1991. Characterization of the Development Potential of Ship Shoal Sand for Beach Replenishment of Isles Dernieres. Final Report, U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA, 164 pp.
- Byrnes, M.R. and N.C. Kraus, 1999. Regional Sediment Transport Patterns Adjacent to Canaveral Harbor, Florida. In: N.C. Kraus and W.G. McDougal (eds.), Coastal Sediments '99, American Society of Civil Engineers, New York, NY, pp. 750-760.

- Byrnes, M.R., J.L. Baker, and F. Li, 2002. Quantifying Potential Measurement Errors and Uncertainties Associated with Bathymetric Change Analysis. Coastal and Hydraulics Engineering Tech. Note IV-50, U.S. Army Engineer Waterways Experiment Station, Coastal and Hydraulics Laboratory, Vicksburg, MS, 17 pp.
- Byrnes, M.R., R.M. Hammer, B.A. Vittor, J.S. Ramsey, D.B. Snyder, K.F. Bosma, J.D. Wood, T.D. Thibaut, and N.W. Phillips, 1999. Environmental Survey of Identified Sand Resource Areas Offshore Alabama. U.S. Department of the Interior, Minerals Management Service, International Activities and Marine Minerals Division, Herdon, VA. Volume I: Main Text, Volume II: Appendices. OCS Report MMS 99-0052.
- Byrnes, M.R., R.M. Hammer, B.A. Vittor, S.W. Kelley, D.B. Snyder, J.M. Cote, J.S. Ramsey, T.D. Thibaut, N.W. Phillips, and J.D. Wood, 2003. Collection of Environmental Data Within Sand Resource Areas Offshore North Carolina and the Implications of Sand Removal for Coastal and Beach Restoration. U.S. Department of the Interior, Minerals Management Service, Leasing Division, Sand and Gravel Unit, Herndon, VA. OCS Report MMS 2000-056, Volume I: Main Text 256 pp. + Volume II: Appendices 69 pp.
- Camp, D.K., N.H. Whiting, and R.E. Martin, 1977. Nearshore Marine Ecology at Hutchinson Island, Florida: 1971-1974. V. Arthropods. Florida Marine Research Publication 25.
- Camp, D.K., W.G. Lyons, and T.H. Perkins, 1998. Checklists of Selected Shallow-Water Marine Invertebrates of Florida. Florida Marine Research Institute Tech. Rep. TR-3.
- Carr, A., 1987. New perspectives on the pelagic stage of sea turtle development. Conservation Biology, 1: 103-121.
- Centre for Cold Ocean Resources Engineering, 1995. Proposed Marine Mining Technologies and Mitigation Techniques: A Detailed Analysis with Respect to the Mining of Specific Offshore Mineral Commodities. U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, OCS Report MMS 95-0003, C-CORE Publication 96-C15, 280 pp. + apps.
- Cerame-Vivas, M.J. and I.E. Gray, 1966. The distribution pattern of benthic invertebrates of the continental shelf off North Carolina. Ecology, 47: 260-270.
- Chace, F.A., Jr., 1972. The Shrimps of the Smithsonian-Bredin Caribbean Expeditions with a Summary of the West Indian Shallow-Water Species (Crustacea: Decapoda; Natantia). Smithsonian Institution Press, Washington, DC, Smithsonian Contributions to Zoology, Number 98.
- Chang, S., F.W. Steimle, Jr., R.N. Reid, S.A. Fromm, V.S. Zdanowicz, and R.A. Pikanowski, 1992. Association of benthic macrofauna with habitat types and quality in the New York Bight. Marine Ecological Progress Series, 89: 237-251.
- Chansang, H., 1988. Coastal tin mining and marine pollution in Thailand. Ambio, 17(3): 223-228.
- Clarke, K.R., R.M. Warwick, and B.E. Brown, 1993. An index showing breakdown of seriation, related to disturbance, in a coral reef assemblage. Marine Ecology Progress Series, 102: 153-160.
- Clausner, J.E., 1982. Wave Refraction and Beach Characteristics of a Cape Associated Shoreline, Brevard County, Florida. Masters Thesis, Florida Institute of Technology, Department of Oceanography and Ocean Engineering, 150 pp.
- Coastal Oceanographics, 1996. Hypack Navigation Software Version 6.4.
- Coastline Surveys Limited, 1998. Marine Aggregate Mining Benthic and Surface Plume Study. U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Plume Research Group Report 98/555/03, 168 pp.

- Connell, J.H., 1997. Disturbance and Recovery of Coral Assemblages. In: H.A. Lessios, I.G. Macintyre, and M. McGee (eds.), Proceedings of the 8th International Coral Reef Symposium Panama, 1: 9-22.
- Continental Shelf Associates, Inc., 1987. Final Report for the Field Survey of the Canaveral Harbor Candidate Ocean Dredged Material Disposal Site. U.S. Army Corps of Engineers, Jacksonville District, Jacksonville, FL.
- Continental Shelf Associates, Inc., 1992. Age, Growth, and Reproduction of Bigeye Scad in Southeastern Florida Waters. Florida Department of Environmental Protection, 46 pp.
- Continental Shelf Associates, Inc., 2002. Summary Report on Aerial Surveys (1996/97, 1997/98, 1998/99) of Northern Right Whales and Other Listed Species in Atlantic Waters from Charleston, South Carolina to Cape Canaveral, Florida. Department of the Navy, Southern Division, Charleston, South Carolina, 47 pp. + app.
- Continental Shelf Associates, Inc., 2004. Geological and Geophysical Exploration for Mineral Resources on the Gulf of Mexico Outer Continental Shelf Programmatic Environmental Assessment. Prepared for the U.S. Department of the Interior, Minerals Management Service Gulf of Mexico OCS Region, New Orleans, LA. OCS EIS/EA MMS 2000-xxxxx.
- Continental Shelf Associates, Inc. and Florida Atlantic University, 1994. An Assessment of the Effects of Recurrent *Codium isthmocladum* Blooms on the Reefs and Reef Fish Populations of Palm Beach and Northern Broward Counties, FL. Florida Marine Fisheries Commission, 52 pp.
- Courtenay, W.R., Jr., D.J. Herrema, M.J. Thompson, W.P. Azzinaro, and J. van Montfrans, 1972. Ecological monitoring of two beach nourishment projects in Broward County, Florida. Shore and Beach, 40(2): 8-13.
- Courtenay, W.R., Jr., D.J. Herrema, M.J. Thompson, W.P. Azzinaro, and J. van Montfrans, 1974. Ecological Monitoring of Beach Erosion Control Projects, Broward County, Florida, and Adjacent Areas. U.S. Army Corps of Engineers Coastal Engineering Research Center Tech. Mem. 41, 88 pp.
- Cronin, E.L., G. Gunter, and S.H. Hopkins, 1969. Effects of Engineering Activities on Coastal Ecology. U.S. Army Corps of Engineers, Office of Chief of Engineers, Interim Report.
- Cronin, E.L., R.B. Biggs, D.A. Flemer, G.T. Pfitzmeyer, F. Goodwin, Jr., W.L. Dovel, and D.E. Richie, Jr., 1970. Gross Physical and Biological Effects of Overboard Spoil Disposal in Upper Chesapeake Bay. University of Maryland, Chesapeake Biological Laboratory, Natural Resources Institute Special Report Number 3, 66 pp.
- Crowell, M., S.P. Leatherman, and M.K. Buckley, 1991. Historical shoreline change: error analysis and mapping accuracy. Journal of Coastal Research, 7(3): 839-852.
- Cruickshank, M.J., J.P. Flanagan, B. Holt, and J.W. Padan, 1987. Marine Mining on the Outer Continental Shelf: Environmental Effects Overview. U.S. Department of the Interior, Minerals Management Service, OCS Report 87-0035, 66 pp.
- Curray, J.R., 1965. Late Quaternary history, continental shelves of the United States. In: The Quaternary of the United States, Princeton University Press, pp. 723-735.
- Dames & Moore, 1979. Mississippi, Alabama, Florida Outer Continental Shelf Baseline Environmental Survey; MAFLA, 1977/78. U.S. Department of the Interior, Bureau of Land Management, Contract Number AA550-CT7-34.
- Day, J.H., J.G. Field, and M.P. Montgomery, 1971. The use of numerical methods to determine the distribution of the benthic fauna across the continental shelf of North Carolina. Journal of Animal Ecology, 40: 93-125.

- Dayton, P., 1984. Processes Structuring Some Marine Communities: Are They General? In: D.R. Strong, D. Simberloff, L.G. Abele, and A.B. Thistle (eds.), Ecological Communities, Conceptual Issues and the Evidence, Princeton University Press, pp. 181-200.
- Dean, R.G., 1988. Sediment interaction at modified coastal inlets: Processes and policies. In: D.G. Aubrey and L. Weishar (eds.), Hydrodynamics and Sediment Dynamics of Tidal Inlets, Lecture Notes on Coastal and Estuarine Studies 29, Springer-Verlag, New York, pp. 412-439.
- Dean, R.G. and M.P. O'Brien, 1987. Florida's East Coast Inlets: Shoreline Effects and Recommended Action. Final Report UFL/COEL-87/017, Division of Beaches and Shores, Florida Department of Natural Resources, Tallahassee, FL, 65 pp.
- Demirpolat, S. and W.F. Tanner, 1991. Keys to High-Accuracy Mapping of Shoreline Changes. In: N.C. Kraus, K.J. Gingerich, and D.L. Kriebel (eds.), Proceedings Coastal Sediments '91, American Society of Civil Engineers, New York, NY, pp. 1054-1068.
- de Sylva, D.P., 1994. Distribution and ecology of ciguatera fish poisoning in Florida, with emphasis on the Florida Keys. Bulletin of Marine Science, 54(3): 944-954.
- Dickerson, D.D., 1990. Workgroup 1 Summary. In: D.D. Dickerson and D.A. Nelson (comps.), Proceedings of the National Workshop on Methods to Minimize Dredging Impacts on Sea Turtles, Jacksonville, FL, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper EL-90-5, 89 pp.
- Dickerson, D.D., D.A. Nelson, M. Wolff, and L. Manners, 1992. Summary of Dredging Impacts on Sea Turtles: King's Bay, Georgia and Cape Canaveral, Florida. In: M. Salmon and J. Wyneken (comps.), Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation, Jekyll Island, GA, NOAA Tech. Mem. NMFS-SEFSC-302, pp. 148-151.
- Dickerson, D.D., K.J. Reine, and D.G. Clarke, 1998. Economic Impacts of Environmental Windows Associated with Dredging Operations. U.S. Army Engineer Waterways Experiment Station, Research and Development Center, Vicksburg, MS. Dredging Operations and Environmental Research Technical Notes Collection (TN DOER-E3).
- Dodd, C.K., Jr., 1988. Synopsis of the Biological Data on the Loggerhead Sea Turtle *Caretta caretta* (Linnaeus 1758). U.S. Fish and Wildlife Service Biological Report 88(4), 110 pp.
- Dodge, R.E. and J.R. Vaisnys, 1977. Coral populations and growth patterns: responses to sedimentation and turbidity associated with dredging. Journal of Marine Research, 35(4): 715-730.
- Dodge, R.E., R.C. Aller, and J. Thompson, 1974. Coral growth related to resuspension of bottom sediments. Nature, 247: 574-577.
- Dooley, J.K., 1972. Fishes associated with the pelagic *Sargassum* complex, with a discussion of the *Sargassum* community. Contributions in Marine Science, 16: 1-32.
- Downey, M.E., 1973. Starfishes from the Caribbean and the Gulf of Mexico. Smithsonian Contributions to Zoology, Number 126. Smithsonian Institution Press, Washington, DC.
- Drucker, B.S., 2000. A Biological/Physical Dredging Impact Study Offshore Central Florida. In: L.S. Tait (comp.), Proceedings of the 13 Annual National Conference on Beach Preservation Technology, February 2-4, 2000, Melbourne, FL, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 258-263.
- Duane, D.B., M.E. Field, E.P. Meisburger, D.J.P. Swift, and S.J. Williams, 1972. Linear shoals on the Atlantic inner continental shelf, Florida to Long Island. In: D.J.P. Swift, D.B Duane, and O.H. Pilkey (eds.), Shelf Sediment Transport: Process and Pattern. Dowden, Hutchinson, and Ross, Stroudsburg, PA, pp. 447-498.
- Duffield, D.A., 1986. Investigations of Genetic Variability in Stocks of Bottlenose Dolphins (*Tursiops truncatus*). National Marine Fisheries Service, Southeast Fisheries Commission, Contract Number NA83-GA-00036, 53 pp.

- Duffield, D.A., S.H. Ridgway, and L.H. Cornell, 1983. Hematology distinguishes coastal and offshore forms of dolphins (*Tursiops*). Canadian Journal of Zoology, 61: 930-933.
- Dustan, P., 1999. Coral reefs under stress: sources of mortality in the Florida Keys. Natural Resources Forum, 23: 147-155.
- Eckert, K.L., 1995. Leatherback Sea Turtle, *Dermochelys coriacea*. In: P.T. Plotkin (ed.), National Marine Fisheries Service and U. S. Fish and Wildlife Service Status Reviews for Sea Turtles Listed Under the Endangered Species Act of 1973, Silver Spring, MD.
- Eckert, S.A., D.W. Nellis, K.L. Eckert, and G.L. Kooyman, 1986. Diving patterns of two leatherback sea turtles (*Dermochelys coriacea*) during internesting intervals at Sandy Point, St. Croix, U.S. Virgin Islands. Herpetologica, 42(3): 381-388.
- Ehrhart, L.M. and B.E. Witherington, 1987. Human and Natural Causes of Marine Turtle Nest and Hatchling Mortality and Their Relationship to Hatchling Production on an Important Florida Nesting Beach. Florida Game and Fresh Water Fish Commission, Non-Game Wildlife Program, Tech. Rep. 1.
- Eiseman, N.J., 1979. Marine algae of the east Florida continental shelf, I. Some new records of Rhodophyta, including *Scinaia incrassata* sp. nov. (Nemaliales: Chaetangiaceae). Phycologia, 18(4): 355-361.
- Ellis, M.Y., 1978. Coastal Mapping Handbook. U.S. Department of the Interior, Geological Survey, U.S. Department of Commerce, National Ocean Service, U.S. Government Printing Office, Washington, D.C., 199 pp.
- Ernst, C., J. Lovich, and R. Barbour, 1994. Turtles of the United States and Canada. Smithsonian Institute Press, Washington, DC, 578 pp.
- Fauchald, K. and P. Jumars, 1979. The diet of worms: A study of polychaete feeding guilds. Oceanography and Marine Biology Annual Review, 17: 193-284.
- Field, M.E. and D.B. Duane, 1974. Geomorphology and Sediments of the Inner Continental Shelf, Cape Canaveral, Florida. Tech. Mem. 42, U.S. Army Corps of Engineers, Coastal Engineering Research Center, Vicksburg, MS, 87 pp.
- Fitzhardinge, R.C. and J.H. Bailey-Brock, 1989. Colonization of artificial reef materials by corals and other sessile organisms. Bulletin of Marine Science, 44(2): 567-579.
- Flint, R.W. and J.S. Holland, 1980. Benthic Infaunal Variability on a Transect in the Gulf of Mexico. University of Texas Marine Science Institute Contribution Number 328, Academic Press, London.
- Florida DEP and Canaveral Port Authority, 1996. Port Canaveral Inlet Management Study Implementation Plan. http://bcs.dep.state.fl.us/bchmngmt/pcanavrl.pdf.
- Florida DEP and Jupiter Inlet District, 1997. Jupiter Inlet Management Study Implementation Plan. http://bcs.dep.state.fl.us/bchmngmt/jupiter.pdf.
- Florida DEP and Martin County, 1995. St. Lucie Inlet Management Study Implementation Plan. http://bcs.dep.state.fl.us/bchmngmt/st-lucie.pdf.
- Florida DEP and St. Lucie County, 1997. Fort Pierce Inlet Management Study and Implementation Plan. http://bcs.dep.state.fl.us/bchmngmt/ftpierce.pdf.
- Florida DEP Office of Beaches and Coastal Systems, 1999. Critical Erosion Report. http://www.dep.state.fl.us/beaches/publications/pdf/eros-rpt.pdf.
- Florida DEP Office of Beaches and Coastal Systems, 2000. Strategic Beach Management Plan, Southeast Atlantic Coast Region. http://www.dep.state.fl.us/beaches/publications/sregions.htm#SE_Atlantic.

- Folk, R.L., 1980. Petrology of Sedimentary Rocks. Hemphill Publishing Company, Austin, TX, 183 pp.
- Foster, E.R., 1992. Thirty Year Erosion Projections in Florida: Project Overview and Status. Proceedings 23rd International Conference on Coastal Engineering, American Society of Civil Engineers, New York, NY, pp. 2,057-2,070.
- Foster, N.M., 1971. Spionidae (Polychaeta) of the Gulf of Mexico and the Caribbean Sea. Studies on the Fauna of Curacao and Other Caribbean Islands, Number 129.
- Frankenberg, D. and A.S. Leiper, 1977. Seasonal Cycles in Benthic Communities of the Georgia Continental Shelf. In: B.C. Coull (ed.), Ecology of Marine Benthos, University of South Carolina Press, Columbia, SC, pp. 383-397.
- Freedenberg, H., R. Hoenstine, Z. Chen, and H. Williams, 1995a. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Interim Report. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, Tallahassee, FL, 8 pp. + app.
- Freedenberg, H., R. Hoenstine, Z. Chen, and H. Williams, 1995b. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Year 1. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, Tallahassee, FL, Open File Report Number 69, 97 pp.
- Freedenberg, H., R. Hoenstine, N. Strong, C. Trimble, Z. Chen, and A. Dabous, 1997. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Year 2. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, Tallahassee, FL, 31 pp. + app.
- Freedenberg, H., R. Hoenstine, A. Dabous, B. Cross, A. Willett, M. LaChance, Z. Chen, and N. Strong, 1999. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Year 3. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, Tallahassee, FL., 19 pp.
- Freedenberg, H., R. Hoenstine, and A. Dabous, 2000a. Preliminary Identification of Sand Resources in Federal Waters Along the Florida East Coast. In: L.S. Tait (comp.), Proceedings of the 13 Annual National Conference on Beach Preservation Technology, February 2-4, 2000, Melbourne, FL, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 247-257.
- Freedenberg, H., R. Hoenstine, A. Dabous, B. Cross, A. Willett, M. LaChance, C. Fischler, and J. Stern, 2000b. A Geological Investigation of the Offshore Areas Along Florida's Central East Coast, Year 4. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, Tallahassee, FL., 9 pp. + apps.
- Germano, J.D., 1999. Ecology, statistics, and the art of misdiagnosis: the need for a paradigm shift. Environmental Review, 7: 167-190.
- Gerstein, E.R., L. Gerstein, S.E. Forsythe, and J.E. Blue, 1999. The underwater audiogram of the West Indian manatee. Journal of the Acoustical Society of America, 105(6): 3,575-3,583.
- Gilbert, R.O., 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold, New York, NY, 320 pp.
- Gilmore, R.G., 1995. Environmental and biogeographic factors influencing ichthyofaunal diversity: Indian River Lagoon. Bulletin of Marine Science, 57(1): 153-170.
- Gilmore, R.G., Jr., 2001. The Origin of Florida Fish and Fisheries. Proceedings of the Gulf and Caribbean Fisheries Institute, 52nd Annual Session, 1999, pp. 713-731.

- Gilmore, R.G. and P.A. Hastings, 1983. Observations on the ecology and distribution of certain peripheral fishes in Florida. Florida Scientist, 46: 31-51.
- Gilmore, R.G., L.H. Bullock, and F.H. Berry, 1978. Hyporthermal mortality in marine fishes of south, central Florida, January, 1977. Northeast Gulf Science, 2: 77-97.
- Gilmore, R.G., Jr., C.J. Donohoe, D.W. Cooke, and D.J. Herrema, 1981. Fishes of the Indian River Lagoon and Adjacent Waters, Florida. Harbor Branch Foundation, Tech. Rep. Number 41: 1-36.
- Gitschlag, G.R., 1996. Migration and diving behavior of Kemp's ridley (Garman) sea turtles along the U.S. southeastern Atlantic coast. Journal of Experimental Marine Biology and Ecology, 205: 115-135.
- Goda, Y., 1985. Random Seas and Design of Maritime Structures. University of Tokyo Press, Tokyo, Japan.
- Gold, J.R., A.Y. Kristmundsdottir, and L.R. Richardson, 1997. Mitochondrial DNA variation in king mackerel (*Scomberomorus cavalla*) from the western Atlantic ocean and Gulf of Mexico. Marine Biology, 129: 221-232.
- Goldberg, W.M., 1973. The ecology of the coral-octocoral communities off the southeast Florida coast: geomorphology, species composition, and zonation. Bulletin of Marine Science, 23(3): 465-488.
- Goldberg, W.M., 1985. Long Term Effects of Beach Restoration in Broward County, Florida: A Three Year Overview. Coral Reef Associates, Inc. and Florida International University, Miami, FL for Broward County Environmental Quality Review Board, Erosion Prevention District, 31 pp.
- Goldberg, W.M., 1989. Biological Effects of Beach Nourishment in South Florida: The Good, the Bad, and the Ugly. In: Proceedings of Beach Preservation Technology, 1988, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 19-27.
- Gore, R.H., L.E. Scotto, and L.J. Becker, 1978. Community composition, stability, and trophic partitioning in decapod crustaceans inhabiting some subtropical sabellarid worm reefs. Studies on the decapod crustacea of the Indian River region of Florida. Bulletin of Marine Science, 28(2): 221-248.
- Gotelli, N.J., 1988. Determinants of recruitment, juvenile growth, and spatial distribution of a shallow-water gorgonian. Ecology, 69: 157-166.
- Grant, G., H. Malpass, and J. Beasley, 1996. Correlation of leatherback turtle and jellyfish occurrence. Herpetological Review, 27(3): 123-125.
- Grant, W.D. and O.S. Madsen, 1986. The continental shelf bottom boundary layer. Annual Review Fluid Mechanics, 18: 265-305.
- Grassle, J.F. and J.P. Grassle, 1974. Opportunistic life histories and genetic systems in marine benthic polychaetes. Journal of Marine Research, 32: 253-284.
- Gray, J.S., 1974. Animal-sediment relationships. Oceanography and Marine Biology Annual Review, 12: 223-261.
- Grecay, P.A. and T.E. Targett, 1996. Spatial patterns in conditions and feeding of juvenile weakfish in Delaware Bay. Transactions of the American Fisheries Society, 125(5): 803-805.
- Grober, L.E., 1992. The Ecological Effects of Beach Replenishment. M.S. Thesis, Duke University, School of the Environment, NC, 109 pp.
- Gustafson, J.F., 1972. Ecological effects of dredged borrow pits. World Dredging and Marine Construction, 8(10): 44-48.
- Hall, S.J., 1994. Physical disturbance and marine benthic communities: life in unconsolidated sediments. Oceanography and Marine Biology Annual Review, 32: 179-239.

- Hammer, R.M., 1981. Day-night differences in the emergence of demersal zooplankton from a sand substrate in a kelp forest. Marine Biology, 62: 275-280.
- Hammer, R.M. and R.C. Zimmerman, 1979. Species of demersal zooplankton inhabiting a kelp forest ecosystem off Santa Catalina Island, California. Bulletin of the Southern California Academy of Sciences, 78(3): 199-206.
- Hammer, R.M., B.J. Balcom, M.J. Cruickshank, and C.L. Morgan, 1993a. Synthesis and Analysis of Existing Information Regarding Environmental Effects of Marine Mining. Continental Shelf Associates, Inc. for the U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA. Executive Summary, OCS Study MMS 93-0005, 38 pp.
- Hammer, R.M., B.J. Balcom, M.J. Cruickshank, and C.L. Morgan, 1993b. Synthesis and Analysis of Existing Information Regarding Environmental Effects of Marine Mining. Continental Shelf Associates, Inc. for the U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA. Final Report, OCS Study MMS 93-0006, 392 pp.
- Harper, D.E., Jr., 1991. Macroinfauna and macroepifauna. In: J.M. Brooks and C.P. Giamonna (eds.), Mississippi-Alabama Continental Shelf Ecosystem Study Data Summary and Synthesis, Volume II: Technical Narrative, U.S. Department of the Interior, Minerals Management Service, OCS Study MMS 91-0063.
- Harris, P.S., 1991. The Influence of Seasonal Variation in Longshore Sediment Transport with Applications to the Erosion of the Downdrift Beach at Jupiter Inlet, Florida. M.S. Thesis, University of Florida, Gainesville, FL.
- Hartgen, C.A., 2001. State/Federal Partnerships to Identify Sand Sources Along the East and Gulf Coasts. In: Proceedings of the 12th Biennial Coastal Zone Conference, Cleveland, OH, July 15-19, 2001, 4 pp.
- Hendler, G., J.E. Miller, D.L. Pawson, and P.M. Kier, 1995. Sea Stars, Sea Urchins, and Allies, Echinoderms of Florida and the Caribbean. Smithsonian Institution Press, Washington, DC and London.
- Henwood, T.A., 1987. Movements and seasonal changes in loggerhead turtle *Caretta caretta* aggregations in the vicinity of Cape Canaveral, Florida (1978-84). Biological Conservation, 40: 191-202.
- Herbich, J.B., 1992. Handbook of Dredging Engineering. McGraw-Hill, Inc., New York, NY, 740 pp.
- Herbich, J.B. and S.B. Brahme, 1991. Literature Review and Technical Evaluation of Sediment Resuspension During Dredging. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS., Contract Report HL-91-1.
- Herrema, D.J., D.B. Peery, and N. Williams-Walls, 1985. Spawning periods of common inshore fishes of the Florida East Coast. Northeast Gulf Science, 7(2): 153-156.
- Herrnkind, W.F., M.J. Butler IV, and R.A. Tankersley, 1988. The effects of siltation on recruitment of spiny lobsters, *Panulirus argus*. Fishery Bulletin, 86(2): 331-338.
- Hirth, H.F., 1997. Synopsis of the Biological Data on the Green Turtle *Chelonia mydas* (Linnaeus, 1758). U.S. Fish and Wildlife Service Biological Report 97(1), 120 pp.
- Hoelzel, A.R., C.W. Potter, and P.B. Best, 1998. Genetic Differentiation Between Parapatric "Nearshore" and "Offshore" Populations of the Bottlenose Dolphin. Proceedings of the Royal Society of London, 265: 1,177-1,183.
- Hoenstine, R. and H. Freedenberg, 1995. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Annual Report to MMS Year 1. Florida Geological Survey, Tallahassee, FL. 84 pp.

- Hoenstine, R.H., H. Freedenberg, Z. Chen, and H. Williams, 1995. A Geological Investigation of the Offshore Area Along Florida's Central East Coast, Year 1. U.S. Department of the Interior, Minerals Management Service by the State of Florida, Department of Environmental Protection, Florida Geological Survey, 99 pp.
- Hoenstine, R., H. Freedenberg, A. Dabous, C. Fischler, and M. Lachance, 2001a. An Environmental Assessment of the Offshore Area Along East-Central Florida: Preliminary Report. Florida Geological Survey, Tallahassee, FL to Continental Shelf Associates, Inc. for the U.S. Department of Interior, Minerals Management Service, International Activities and Marine Minerals Division, Herndon, VA, March 15, 2001.
- Hoenstine, R., H. Freedenberg, A. Dabous, C. Fischler, and M. Lachance, 2001b. An Environmental Assessment of the Offshore Area Along East-Central Florida: Final Report. Florida Geological Survey, Tallahassee, FL to Continental Shelf Associates, Inc. for the U.S. Department of Interior, Minerals Management Service, International Activities and Marine Minerals Division, Herndon, VA, September 21, 2001.
- Hrabovsky, L., 1990. Hydraulic Cutterhead Pipeline Dredging. In: D.D. Dickerson and D.A. Nelson (comps.), Proceedings of the National Workshop on Methods to Minimize Dredging Impacts on Sea Turtles, Jacksonville, FL, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper EL-90-5, pp. 56-58.
- Hsueh, Y. and J. O'Brien, 1971. Steady coastal upwelling induced by an along-shore current. Journal of Physical Oceanography, 1: 799-810.
- Hubbard, D.K., 1986. Sedimentation as a control of coral reef development: St. Croix, U.S.V.I. Coral Reefs, 5: 117-125.
- Hubertz, J.M., R.M. Brooks, W.A. Brandon, and B.A. Tracy, 1993. Hindcast Wave Information for the U.S. Atlantic Coast. WIS Report 30 (AD A356 321), U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Hughes, T.P. and J.H. Connell, 1999. Multiple stressors on coral reefs: a long-term perspective. Limnology and Oceanography, 44(3, Part 2): 932-940.
- Humm, H,J., 1969. Distribution of marine algae along the Atlantic coast of North America. Phycologia, 7: 43-53.
- Ingle, R.M., 1952. Studies on the Effect of Dredging Operations Upon Fish and Shellfish. Florida State Board of Conservation, Technical Series 5, 26 pp.
- Jaap, W.C., 1984. The Ecology of the South Florida Coral Reefs: A Community Profile. U.S. Fish and Wildlife Service, FWS/OBS-82/08, 138 pp.
- Johannes, R.E., 1970. Coral Reefs and Pollution. Unpublished Review from the FAO Technical Conference on Marine Pollution, Rome, December, 1970.
- Johnson, R.O. and W.G. Nelson, 1985. Biological effects of dredging in an offshore borrow area. Florida Scientist, 48: 166-188.
- Jones, G. and S. Candy, 1981. Effects of dredging on the macrobenthic infauna of Botany Bay. Australian Journal of Marine and Freshwater Research, 32: 379-399.
- Jones, N.S., 1950. Marine bottom communities. Biological Review, 25: 283-313.
- Jordan, R.R., 1999. Letter from Robert R. Jordan, Director and State Geologist (State of Delaware, Delaware Geological Survey, University of Delaware, Newark, Delaware 19716-7501) to Thomas R. Kitsos, Acting Director (U.S. Department of the Interior, Minerals Management Service, 1849 C Street NW, Washington, DC 20240) dated April 23, 1999, 2 pp.
- Juett, L., C.J. Miller, S.J. Moore, and E.S. Ford, 1976. Summer marine algae at Vero Beach, Florida. Florida Scientist, 2: 76-79.

- Jutte, P.C., R.F. Van Dolah, and P.T. Gayes, 2002. Recovery of benthic communities following offshore dredging, Myrtle Beach, South Carolina. Shore & Beach, 70(3): 25-30.
- Kamphuis, J.W., 1990. Alongshore Sediment Transport Rate. Proceedings 22nd Coastal Engineering Conference, American Society Civil Engineers, New York.
- Kelley, S.W., J.S. Ramsey, and M.R. Byrnes, 2001. Numerical Modeling Evaluation of the Cumulative Physical Effects of Offshore Sand Dredging for Beach Nourishment. OCS Report MMS 2001-098, U.S. Department of the Interior, Minerals Management Service, International Activities and Marine Minerals Division (INTERMAR), Herndon, VA.
- Kelley, S.W., J.S. Ramsey, and M.R. Byrnes, 2004. Evaluating the physical effects of offshore sand dredging for beach nourishment. Journal of Coastal Research, 20(1): 89-100.
- Kerr, S.J., 1995. Silt, turbidity and suspended sediments in the aquatic environment: an annotated bibliography and literature review. Ontario Ministry of Natural Resources, Southern Region Science and Technology Transfer Unit, Tech. Rep. TR-008. 277 pp.
- Kielmann, J. and W. Duing, 1974. Tidal and sub-inertial fluctuations in the Florida Current. Journal of Physical Oceanography, 4: 227-236.
- Kirtley, D.W. and W.F. Tanner, 1968. Sabellarid worms: Builders of major reef type. Journal of Sedimentary Petrology, 38(1): 73-78.
- Klitgord, K.D., D.R. Hutchinson, and H. Schouten, 1988. U.S. Atlantic continental margin: Structural and tectonic framework. In: R.E. Sheridan and J.A. Grow (eds.), The Atlantic Continental Margin: U.S., Volume I-2, The Geology of North America, Geological Society of America, Boulder, CO, pp. 19-55.
- Knowlton, A.R. and B. Weigle, 1989. A Note on the Distribution of Leatherback Turtles *Dermochelys coriacea* Along the Florida Coast in February 1988. In: S.A. Eckert, K.L. Eckert, and T.H. Richardson (comps.), Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology, NOAA Tech. Mem. NMFS-SEFSC-232, pp. 83-85.
- Koenig, C.C., F.C. Coleman, C.B. Grimes, G.R. Fitzhugh, K.M. Scanlon, C.T. Gledhill, and M. Grace, 2000. Protection of fish spawning habitat for the conservation of warm-temperate reef-fish fisheries of shelf-edge reefs of Florida. Bulletin of Marine Science, 66(3): 593-616.
- Kraus, S.D., A.R. Knowlton, and J.H. Prescott, 1988. Surveys for Wintering Right Whales (*Eubalaena glacialis*) Along the Southeastern United States, 1984-1988. U.S. Department of the Interior, Minerals Management Service, Branch of Environmental Studies, Washington, DC, 19 pp. + app.
- Kraus, N.C., M.R. Byrnes, and A.L. Lindquist, 1999. Coastal Processes Assessment for Brevard County, Florida, with Special Reference to Test Plaintiffs. Tech. Rep. CHL-99-6, U.S. Army Corps of Engineers, Waterways Experiment Station, Coastal and Hydraulics Laboratory, Vicksburg, MS, 162 pp.
- Kraus, S.D., R.D. Kenney, A.R. Knowlton, and J.N. Ciano, 1993. Endangered Right Whales of the Southwestern North Atlantic. U.S. Department of the Interior, Minerals Management Service, Atlantic OCS Region, Herndon, VA, 69 pp.
- Larson, K.W. and C.E. Moehl, 1988. Entrainment of Anadromous Fish by Hopper Dredge at the Mouth of the Columbia River. In: C.A. Simenstad (ed.), Effects of Dredging on Anadromous Pacific Coast Fishes, Workshop Proceedings, University of Washington Sea Grant, pp. 102-112.
- Larson, M. and N.C. Kraus, 1995. Prediction of cross-shore sediment transport at different spatial and temporal scales. In: J.H. List and J.H.J. Terwindt (eds.), Large-Scale Coastal Behavior, Marine Geology Special Issue, 126(1/4): 111-128.

- LaSalle, M.W., D.G. Clarke, J. Homziak, J.D. Lunz, and T.J. Fredette, 1991. A Framework for Assessing the Need for Seasonal Restrictions on Dredging and Disposal Operations. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Tech. Rep. D-91-1, 74 pp.
- Leadon, M.E., 2002. Development and Implementation of a Regional Coastal Monitoring Program for the State of Florida. Florida Department of Environmental Protection, Office of Beaches and Coastal Systems, Talahassee, FL, http://www.dep.state.fl.us/beaches/publications/pdf/coastmon.pdf.
- Leadon, M., T. Watters, G. Watry, E. Foster, K. Jones, and B. Myhre, 2001. Statewide Coastal Monitoring Program: I. Regional Data Collection and Processing Plan. Office of Beaches and Coastal Systems, Department of Environmental Protection, State of Florida, Tallahassee, FL.
- Lenhardt, M.L., 1994. Seismic and Very Low Frequency Sound Induced Behaviors in Captive Loggerhead Marine Turtles (*Caretta caretta*). In: K.A. Bjorndal, A.B. Bolten, D.A. Johnson, and P.J. Eliazar (comps.), Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation, Hilton Head, SC, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southeast Fisheries Science Center, Miami, FL.
- Lee, T.N., 1975. Florida Current spin-off eddies. Deep Sea Research, 22: 753-765.
- Lee, T.N. and L.P. Atkinson, 1983. Low-frequency current and temperature variability from Gulf Stream frontal eddies and atmospheric forcing along the southeast U.S. Outer Continental Shelf. Journal of Geophysical Research, 88(C8): 4541-4567.
- Lee, T.N. and D.A. Mayer, 1977. Low-frequency current variability and spin-off eddies along the shelf off southeast Florida. Journal or Marine Research, 35: 193-220.
- Lee, T.N. and C.N.K. Mooers, 1977. Near-bottom temperature and current variability over the Miami slope and terrace. Bulletin of Marine Science, 27 (4): 758-775.
- Lee, T.N. and L.J. Pietrafesa, 1987. Summer upwelling on the southeastern continental shelf of the U.S.A. during 1981. Progress in Oceanography, 19: 267-312.
- Lee, T.N., F.A. Schott, and R. Zantopp, 1985. Florida current: low-frequency variability as observed with moored current meters during April 1982 to June 1983. Science, 227: 298-302.
- Lee, T.N., J.A. Yoder, and L.P. Atkinson, 1991. Gulf Stream frontal eddy influence on productivity of the southeast U.S. Continental Shelf. Journal of Geophysical Research, 96(C12): 22,191-22,205.
- Lemming, T.D., 1980. Observations of Temperature, Current, and Wind Variations off the Central Eastern Coast of Florida During 1970 and 1971. NOAA Southeast Fisheries Center, Tech. Mem. NMFS-SEFC-6, 186 pp.
- Levin, J., 1970. A Literature Review of the Effects of Sand Removal on a Coral Reef Community. University of Hawaii Sea Grant Program, UNIHI-SEA GRANT-TR-71-01, 78 pp.
- Lindeman, K.C. and D.B. Snyder, 1999. Nearshore hardbottom fishes of southeast Florida and effects of habitat burial caused by dredging. Fishery Bulletin, 97(3): 508-525.
- Littler, D.S. and M.M. Littler, 2000. Caribbean Reef Plants. Offshore Graphics, Inc., Washington, DC, 542 pp.
- Lohoefener, R., W. Hoggard, K. Mullin, C. Roden, and C. Rogers, 1990. Association of Sea Turtles with Petroleum Platforms in the North-Central Gulf of Mexico. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS 90-0025, 90 pp.
- Lutcavage, M. and J.A. Musick, 1985. Aspects of the biology of sea turtles in Virginia. Copeia, 1985(2): 449-456.

- Lyons, W.G., 1989. Nearshore marine ecology at Hutchinson Island, Florida: 1971-1974. XI. Mollusks. Florida Marine Research Publication 47, 131 pp.
- MacArthur, R.H., 1960. On the relative abundance of species. American Naturalist, 94: 25-36.
- MacArthur, R.H. and E.O. Wilson, 1967. Theory of Island Biogeography. Princeton University Press, Princeton, NJ, 203 pp.
- Madsen, O.S., 1987. Mechanics of Sediment Transport in the Wave-Dominated Environment. ASCE Short Course Notes, Coastal Sediments '87, New Orleans, LA, 94 pp.
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird, 1983. Investigations of the Potential Effects of Underwater Noise from Petroleum Industry Activities on Migrating Gray Whale Behavior. Bolt, Beranek and Newman, Inc., Cambridge, MA, for the U.S. Department of the Interior, Minerals Management Service, Anchorage, AK, BBN Report 5366.
- Marine Turtle Expert Working Group, 1996a. Status of the Loggerhead Turtle Population (*Caretta caretta*) in the Western North Atlantic, 50 pp.
- Marine Turtle Expert Working Group, 1996b. Kemp's Ridley Sea Turtle (*Lepidochelys kempii*) Status Report, 49 pp.
- Marine Turtle Expert Working Group, 2000. Assessment Update for the Kemp's Ridley and Loggerhead Sea Turtle Populations in the Western North Atlantic. U.S. Department of Commerce, NOAA Tech. Mem. NMFS-SEFSC-444, 115 pp.
- Marquez, R.M., 1990. Sea Turtles of the World. FAO Species Catalogue, Volume 11. FAO, Rome, 81 pp.
- Marsh, G.A. and D.B. Turbeville, 1981. The environmental impact of beach nourishment: two studies in southeastern Florida. Shore and Beach, 1981: 40-44.
- Marszalek, D.S., 1981. Impact of Dredging on a Subtropical Reef Community, Southeast Florida, U.S.A. Proceedings of the 4th International Coral Reef Symposium Manila, 1: 147-153.
- Maurer, D., R.T. Keck, J.C. Tinsman, W.A. Leathem, C. Wethe, C. Lord, and T.M. Church, 1986. Vertical migration and mortality of marine benthos in dredged material: a synthesis. Internationale Revue der Gesamten Hydrobiologie, 71: 49-63.
- Mayer, D.A., K.D. Leaman, and T.N. Lee, 1984. Tidal motions in the Florida Current. Journal of Physical Oceanography, 14: 1,551-1,559.
- McBride, R.A., 1987. Tidal Inlet History, Morphology, and Stability, Eastern Coast of Florida, USA. In: N.C. Kraus (ed.), Coastal Sediments '87, American Society of Civil Engineers, New York, NY, pp. 1592-1607.
- McBride, R.A. and T.F. Moslow, 1991. Origin, evolution, and distribution of shoreface sand ridges, Atlantic inner shelf, U.S.A. Marine Geology, 97: 57-85.
- McCaully, J.E., R.A. Parr, and D.R. Hancock, 1977. Benthic infauna and maintenance dredging: a case study. Water Research, 11: 233-242.
- McCook, L.J., J. Jompa, and G. Diaz-Pulido, 2001. Competition between corals and algae on coral reefs: a review of evidence and mechanisms. Coral Reefs, 19: 400-417.
- McGraw, K.A. and D.A. Armstrong, 1988. Fish Entrainment by Dredges in Grays Harbor, Washington. In: C.A. Simenstad (ed.), Effects of Dredging on Anadromous Pacific Coast Fishes, Workshop Proceedings, University of Washington Sea Grant, pp. 113-131.
- McLaren, P. and S. Hill, 2002. A Sediment Trend Analysis (STA) in Support of Coastal Management Options, Fort Pierce and Sebastian Inlets, Florida. Final Report to State of Florida, Department of Environmental Protection, Office of Beaches and Coastal Systems, 32 pp.

- McNulty, J.K., R.C. Work, and H.B. Moore, 1962. Some relationships between the infauna of the level bottom and the sediment in South Florida. Bulletin of Marine Science in the Gulf and Caribbean, 12: 322-332.
- Mead, J.G. and C.W. Potter, 1995. Recognizing two populations of the bottlenose dolphin (*Tursiops truncatus*) off the Atlantic coast of North America: morphologic and ecologic considerations. International Biological Research Institute Reports, 5: 31-43.
- Meisburger, E.P. and D. B. Duane, 1971. Geomorphology and Sediments of the Inner Continental Shelf Palm Beach to Cape Kennedy, Florida. Tech. Mem. No. 34, U.S. Army Corps of Engineers, Coastal Engineering Research Center, Vicksburg, MS, 91 pp.
- Meylan, A., 1988. Spongivory in hawksbill turtles: a diet of glass. Science, 239: 393-395.
- Meylan, A., 1992. Hawksbill Turtle *Eretmochelys imbricata*. In: P. Moler (ed.), Rare and Endangered Biota of Florida, University Press of Florida, Gainesville, FL, pp. 95-99.
- Meylan, A.B. and K.A. Bjorndal, 1983. Sea turtles nesting at Melbourne Beach, Florida, II. Post-nesting movements of *Caretta caretta*. Biological Conservation, 26: 79-90.
- Meylan, A., B. Schroeder, and A. Mosier, 1995. Marine Turtle Nesting Activity in the State of Florida, 1979-1992. In: K.A. Bjorndal, A.B. Bolten, D.A. Johnson, and P.J. Eliazar (comps.), Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation, Hilton Head, SC, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southeast Fisheries Science Center, Miami, FL, p. 83.
- Michals, R., 1997. There's a hole in the bottom of the sea. Florida Sportsman, 29(1): 21-28.
- Miller, G.C. and W.J. Richards, 1979. Reef Fish Habitat, Faunal Assemblages, and Factors Determining Distributions in the South Atlantic Bight. Proceedings of the Gulf and Caribbean Fisheries Institute, 33rd Annual Session, November 1979, pp. 114-130.
- Milliman, J.D., 1972. Atlantic Continental Shelf and Slope of the United States Petrology and Sand Fraction of Sediments, Northern New Jersey to Florida. U.S. Geological Survey Professional Paper 529-J, 39 pp.
- Milliman, J.D. and K.O. Emery, 1968. Sea levels of the past 35,000 years. Science, 162: 1,121-1,123.
- Minerals Management Service, 1999a. Florida: Cooperative Activities. http://www.mms.gov/intermar/florida.htm, 2 pp.
- Minerals Management Service, 1999b. Offshore Sand for Wetlands Protection and Beach Nourishment. November 3, 1999, 1 p.
- Moe, M.A., Jr., 1963. A Survey of Offshore Fishing in Florida. Florida State Board of Conservation, Marine Laboratory, Professional Paper Series No. 4. 117 pp.
- Moein, S.E., J.A. Musick, J.A. Keinath, D.E. Barnard, M.L. Lenhardt, and R. George, 1994. Evaluation of Seismic Sources for Repelling Sea Turtles from Hopper Dredges. Virginia Institute of Marine Science, College of William and Mary, Gloucester Point, VA to U.S. Army Engineer Waterways Experiment Station. As excerpted in: Sea Turtle Research Program Summary Report. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS for U.S. Army Engineer Division, South Atlantic, Atlanta, GA and U.S. Naval Submarine Base, Kings Bay, GA, Tech. Rep. CHL-97-31, National Technical Information Service ADA332588, 147 pp.
- Moore, P.G., 1977. Inorganic particulate suspensions in the sea and their effects on marine animals. Oceanography and Marine Biology Annual Review, 15: 225-363.
- Mortimer, J.A., 1982. Feeding Ecology of Sea Turtles. In: K.A. Bjorndal (ed.), Biology and Conservation of Sea Turtles, Smithsonian Institution Press, Washington, DC, pp. 103-109.

- Murawski, W.S., 1969. A Study of Submerged Dredge Holes in New Jersey Estuaries with Respect to Their Fitness as Finfish Habitat. New Jersey Department of Conservation and Economic Development, Division of Fish and Game, Miscellaneous Report Number 2M, 32 pp.
- Myrberg, A.A., Jr. and L.A. Fuiman, 2002. The Sensory World of Coral Reef Fishes, pp.123-148. In: P.F. Sale (ed.), Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem. Academic Press, San Diego, CA.
- Naqvi, S. and E. Pullen, 1982. Effects of Beach Nourishment and Borrowing on Marine Organisms. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Report Number 82-14.
- National Marine Fisheries Service, 1991a. Recovery Plan for the Humpback Whale (*Megaptera novaeangliae*). Humpback Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, MD, 105 pp.
- National Marine Fisheries Service, 1991b. Recovery Plan for the Northern Right Whale (*Eubalaena glacialis*). Right Whale Recovery Team for the National Marine Fisheries Service, Silver Spring, MD, 86 pp.
- National Marine Fisheries Service, 1996. Endangered Species Act, Section 7 Consultation, Biological Opinion, Channel Maintenance Dredging Using a Hopper Dredge, November 1996.
- National Marine Fisheries Service, 1997. Endangered Species Act, Section 7 Consultation, Biological Opinion, The Continued Hopper Dredging of Channels and Borrow Areas in the Southeastern United States, October 1997.
- National Marine Fisheries Service, 1998. Marine Mammal Protection Act of 1972 Annual Report, January 1, 1997 to December 31, 1997. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD.
- National Marine Fisheries Service, 1999a. Fishery Management Plan for Atlantic Tunas, Swordfish, and Sharks, Volume II. National Marine Fisheries Service, Division of Highly Migratory Species, Office of Sustainable Fisheries, Silver Spring, MD, 302 pp.
- National Marine Fisheries Service, 1999b. Amendment 1 to the Atlantic Billfish Fishery Management Plan. National Marine Fisheries Service, Division of Highly Migratory Species, Office of Sustainable Fisheries, Silver Spring, MD.
- National Marine Fisheries Service, 2000. Status Review of Smalltooth Sawfish (*Pristis pectinata*). URL: http://www.nmfs.noaa.gov/prot res/species/fish/Smalltooth sawfish.html.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service, 1991. Recovery Plan for U.S. Population of Atlantic Green Turtle. National Marine Fisheries Service, Washington, DC, 52 pp.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service, 1992a. Recovery Plan for the Kemp's Ridley Sea Turtle (*Lepidochelys kempii*). National Marine Fisheries Service, St. Petersburg, FL, 40 pp.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service, 1992b. Recovery Plan for Leatherback Turtles in the U.S. Caribbean, Atlantic, and Gulf of Mexico. National Marine Fisheries Service, Washington, DC, 65 pp.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service, 1993. Recovery Plan for Hawksbill Turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. National Marine Fisheries Service, St. Petersburg, FL, 47 pp.
- National Research Council, 1995. Beach Nourishment and Protection. National Academy Press, 334 pp.
- National Research Council, 2001. A Process for Setting, Managing, and Monitoring Environmental Windows for Dredging Projects. Transportation Research Board Special Report 262, National Academy Press, Washington, DC, 83 pp.

- Nelson, D.A., 1988. Life History and Environmental Requirements of Loggerhead Turtles. U.S. Fish and Wildlife Service Biological Report 88(23). U.S. Army Corps of Engineers Tech. Rep. EL-86-2(Rev.), 34 pp.
- Nelson, W.G., 1985. Physical and Biological Guidelines for Beach Restoration Projects. Part 1. Biological Guidelines. Florida Sea Grant College Program, Report Number 76.
- Nelson, W.G., 1988. An Overview of the Effects of Beach Nourishment on the Sand Beach Fauna. In: Proceedings of the 1988 National Conference on Beach Preservation Technology, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 295-310.
- Nelson, W.G., 1989. Beach Nourishment and Hard Bottom Habitats: The Case for Caution. In: Proceedings of the 1989 National Conference on Beach Preservation Technology, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 109-116.
- New England Aquarium, 2004. Right Whale Research. http://www.neaq.org/scilearn/research/rtwhale.html.
- Newcombe, C.P. and J.O.T. Jensen, 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk and impact. North American Journal of Fisheries Management, 16(4): 693-727.
- Newell, R.C., L.J. Seiderer, and D.R. Hitchcock, 1998. The impact of dredging works in coastal waters: A review of the sensitivity to disturbance and subsequent recovery of biological resources on the seabed. Oceanography and Marine Biology Annual Review, 36: 127-178.
- Newell, R.C., D.R. Hitchcock, and L.J. Seiderer, 1999. Organic enrichment associated with outwash from marine aggregates dredging: a probable explanation for surface sheens and enhanced benthic production in the vicinity of dredging operations. Marine Pollution Bulletin, 38(9): 808-818.
- Nichols, F.H., 1970. Benthic polychaete assemblages and their relationship to the sediment in Port Madison, Washington. Marine Biology, 6: 48-57.
- Nichols, M., R.J. Diaz, and L.C. Shaffner, 1990. Effects of hopper dredging and sediment dispersion, Chesapeake Bay. Environmental Geology and Water Science, 15: 31-43.
- Nocita, B.W., P. Kohpina, L.W. Papetti, M.M. Olivier, A.E. Grosz, S. Snyder, K.M. Campbell, R.C. Green, and T.M. Scott, 1990. Sand, Gravel, and Heavy-Mineral Resources Potential of Surficial Sediments Offshore of Cape Canaveral, Florida Phase II. Final Report to the U.S. Department of Interior, Mineral Management Service, by the Florida Geological Survey, 55 pp.
- Oakwood Environmental Ltd., 1999. Strategic Cumulative Effects of Marine Aggregates Dredging (SCEMAD). U.S. Department of the Interior, Minerals Management Service, International Activities and Marine Minerals Division, 175 pp.
- Odum, E.P., 1969. The strategies of ecosystem development. Science, 16: 262-270.
- Onuf, C.P., 1994. Seagrasses, dredging, and light in Laguna Madre, Texas, U.S.A. Estuarine, Coastal and Shelf Science, 39: 75-91.
- Oviatt, C.A., C.D. Hunt, G.A. Vargo, and K.W. Kopchynski, 1982. Simulation of a storm event in a marine microcosm. Journal of Marine Research, 39: 605-618.
- Owen, R.M., 1977. An assessment of the environmental impact of mining on the continental shelf. Marine Mining, 1(1/2): 85-102.
- Palermo, M.R., 1990. Workgroup 2 Summary. In: D.D. Dickerson and D.A. Nelson (comps.), Proceedings of the National Workshop on Methods to Minimize Dredging Impacts on Sea Turtles, Jacksonville, FL, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper EL-90-5, pp. 76-80.
- Pearce, J.B., J.V. Caracciolo, M.B. Halsey, and L.H. Rogers, 1976. Temporal and Spatial Distributions of Benthic Macroinvertebrates in the New York Bight. In: G. Gross (ed.), Middle

- Atlantic Continental Shelf and the New York Bight, Proceedings of the Symposium, American Museum of Natural History, New York, NY, 1975, American Society of Limnology and Oceanography, Inc., Allen Press, Inc., Lawrence, KS, pp. 394-403.
- Pearce, J.B., D.J. Radosh, J.V. Caracciolo, and F.W. Steimle, Jr., 1981. Benthic Fauna: Marine EcoSystems Analysis (MESA) Program, MESA New York Bight Project. MESA New York Bight Atlas Monograph 14, New York Sea Grant Institute, Albany, NY.
- Peddicord, R.K. and V.A. McFarland, 1978. Effects of Suspended Dredged Material on Aquatic Animals. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Tech. Rep. D-78-29, 102 pp. + app.
- Perkins, T.H., H.A. Norris, D.T. Wilder, S.D. Kaiser, D.K. Camp, R.E. Matheson, Jr., R.G. Gilmore, Jr., J.K. Reed, G.A. Zarillo, K. Connell, M. Fillingfin, and F.M. Idris, 1997. Distribution of Hard-Bottom Habitats on the Continental Shelf off the Northern and Central East Coast of Florida Final Report. Southeast Area Monitoring and Assessment Program Bottom Mapping Workgroup and the National Marine and Fisheries Service.
- Peters, D.J. and W.G. Nelson, 1987. The seasonality and spatial patterns of juvenile surf zone fishes of the Florida east coast. Florida Scientist, 50(2): 85-99.
- Peterson, C.G.J., 1913. Valuation of the Sea. II. The Animal Communities of the Sea-Bottom and Their Importance for Marine Zoogeography. Report of the Danish Biological Station to the Board of Agriculture, 21: 1-44.
- Philipp, E. and K. Fabricius, 2003. Photophysiological stress in scleractinian corals in response to short-term sedimentation. Journal of Experimental Marine Biology and Ecology, 287: 57-78.
- Phinney, H.K., 1959. Turbidity, Sedimentation, and Photosynthesis. Proceedings of the Symposium on Siltation, Its Effects on the Aquatic Environment (Portland). U.S. Public Health Service, pp. 4-12.
- Pianka, E.R., 1970. On r- and K-selection. American Naturalist, 104: 592-597.
- Pickard, G.L. and W.J. Emery, 1990. Descriptive Physical Oceanography: An Introduction. Pergamon Press, 5th Edition, 320 pp.
- Pielou, E.C., 1966. Species-diversity and pattern-diversity in the study of ecological succession. Journal of Theoretical Biology, 10: 370-383.
- Pilkey, O.H., Jr., D.C. Sharma, H.R. Wanless, L.J. Doyle, O.H. Pilkey, Sr., W.J. Neal, and B.L. Gruver, 1984. Living with the East Florida Shore. Duke University Press, Durham, NC, 259 pp.
- Pitts, P.A., 1999. Effects of summer upwelling on the abundance and vertical distribution of fish and crustacean larvae off central Florida's Atlantic coast. Journal of Experimental Marine Biology and Ecology, 235(1): 135-146.
- Poiner, I.R. and R. Kennedy, 1984. Complex pattern of change in the macrobenthos of a large sandbank following dredging. I. Community analysis. Marine Biology, 78: 335-352.
- Provancha, J.A. and L.M. Ehrhart, 1987. Sea Turtle Nesting Trends at Kennedy Space Center and Cape Canaveral Air Force Station, Florida, and Relationships with Factors Influencing Nest Site Selection. In: W.N. Witzell (ed.), Ecology of East Florida Sea Turtles, Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop, Miami, FL, February 26-27, 1985, NOAA Tech. Rep. NMFS-53, pp. 33-44.
- Ramsey, J.S., R.P. Hamilton, and D.G. Aubrey, 1995. Analysis of Coastal Processes and Evaluation of Shore Protection Alternatives, Jupiter Island, Florida. Technical Report, Aubrey Consulting, East Falmouth, MA.
- Randall, J.E., 1958. A review of ciguatera tropical fish poisoning with a tentative explanation of its cause. Bulletin of Marine Science in the Gulf and Caribbean, 8(3): 236-267.

- Reed, J.K, 1980. Distribution and structure of deep-water *Oculina varicosa* coral reefs off central eastern Florida. Bulletin of Marine Science, 30(3): 667-677.
- Reed, J.K., R.H. Gore, L.E. Scotto, and K.A. Wilson, 1982. Community composition, structure, areal and trophic relationships of decapods associated with shallow- and deep-water *Oculina varicosa* coral reefs: Studies on decapod crustacea from the Indian River region of Florida. XXIV. Bulletin of Marine Science, 32(3): 761-786.
- Reeves, R.R., G.K. Silber, and P.M. Payne, 1998. Draft Recovery Plan for the Fin Whale, *Balaenoptera physalus* and Sei Whale, *Balaenoptera borealis*. National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD, 65 pp.
- Reine, K.J. and D.G. Clarke, 1998. Entrainment by Hydraulic Dredges A Review of Potential Impacts. U.S. Army Engineer Research and Development Center, Vicksburg, MS, Dredging Operations and Environmental Research Technical Notes Collection, TN DOER-E1.
- Reine, K.J., D.D. Dickerson, and D.G. Clarke, 1998. Environmental Windows Associated with Dredging Operations. U.S. Army Corps of Engineer Research and Development Center, Vicksburg, MS. Dredging Operations and Environmental Research Technical Notes Collection (TN DOER-E2), 14 pp.
- Renaud, P.E., W.G. Ambrose, Jr., S.R. Riggs, and D.A. Syster, 1996. Multi-level effects of severe storms on an offshore temperate reef system: benthic sediments, macroalgae, and implications for fisheries. Marine Ecology, 17(1-3): 383-398.
- Renaud, P.E., S.R. Riggs, W.G. Ambrose, Jr., K.A. Schmid, and S.W. Snyder, 1997. Biological-geological interactions: storm effects on microalgal communities mediated by sediment characteristics and distribution. Continental Shelf Research, 17(1): 37-56.
- Research Planning, Inc., W.F. Baird & Associates, Ltd., and Applied Marine Sciences, Inc., 2001.

 Development and Design of Biological and Physical Monitoring Protocols to Evaluate the Long-term Impacts of Offshore Dredging Operations on the Marine Environment. U.S. Department of the Interior, Minerals Management Service, International Activities and Marine Minerals Division, Herndon, VA, OCS Report MMS 2001-089.
- Revsbech, N.P., J. Sorensen, and T.H. Blackburn, 1980. Distribution of oxygen in marine sediments measured with microelectrodes. Limnology and Oceanography, 25: 403-411.
- Rhoads, D.C., 1974. Organism-sediment relations on the muddy seafloor. Oceanography and Marine Biology Annual Review, 12: 263-300.
- Rhoads, D.C. and L.F. Boyer, 1982. The Effects of Marine Benthos on Physical Properties of Sediments: A Successional Perspective. In: P.L. McCall and M.J.S. Tevesz (eds.), Animal-Sediment Relations, The Biogenic Alteration of Sediments, Plenum Press, New York, NY, pp. 3-52.
- Rhoads, D.C. and J.D. Germano, 1982. Characterization of organism-sediment relations using sediment profile imaging: An efficient method of remote ecological monitoring of the seafloor (REMOTS[™] System). Marine Ecology Progress Series, 8: 115-128.
- Rhoads, D.C. and J.D. Germano, 1986. Interpreting long-term changes in benthic community structure: A new protocol. Hydrobiologia, 142: 291-308.
- Rhoads, D.C., P.L. McCall, and J.Y. Yingst, 1978. Disturbance and production on the estuarine seafloor. American Science, 66: 577-586.
- Rice, S.A. and C.L. Hunter, 1992. Effects of suspended sediment and burial on scleractinian corals from west central Florida patch reefs. Bulletin of Marine Science, 51(3): 429-442.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson, 1995. Marine Mammals and Noise. Academic Press, San Diego, CA, 576 pp.

- Ridgway, S.H., E.G. Wever, J.G. McCormick, J. Palin, and J.H. Anderson, 1969. Hearing in the giant sea turtle, *Chelonia mydas*. Proceedings of the National Academy of Sciences, 64(3): 884-890.
- Riegl, B., 1995. Effects of sand deposition on scleractinian and alcyonacean corals. Marine Biology, 121: 517-526.
- Riegl, B. and G.M. Branch, 1995. Effects of sediment on the energy budgets of four scleractinian (Bourne 1900) and five alcyonacean (Lamouroux 1816) corals. Journal of Experimental Marine Biology and Ecology, 186: 259-275.
- Robins, C.R., 1957. Effects of storms on the shallow-water fish fauna of southern Florida with records of fishes from Florida. Bulletin of Marine Science in the Gulf and Caribbean, 7(3): 266-275.
- Roden, C., 1998. Cruise Results: Summer Atlantic Marine Mammal Survey, NOAA Ship Relentless Cruise RS 98-01(3). National Marine Fisheries Service, Southeast Fisheries Science Center, Mississippi Laboratories, Pascagoula Facility, Pascagoula, MS.
- Rogers, C.S., 1979. The effect of shading on coral reef structure and function. Journal of Experimental Marine Biology and Ecology, 41: 269-288.
- Rogers, C.S., 1990. Responses of coral reefs and reef organisms to sedimentation. Marine Ecology Progress Series, 62: 185-202.
- Rosati, J.D., T.L. Walton, and K. Bodge, 2002. Longshore Sediment Transport. In: T.L. Walton (ed.), Coastal Engineering Manual, Part III, Coastal Sediment Processes, Chapter III-2, Engineer Manual 1110-2-1100, U.S Army Corps of Engineers, Washington, DC.
- Rosenfeld, M., V. Bresler, and A. Abelson, 1999. Sediment as a possible source of food for corals. Ecology Letters, 2: 345-348.
- Rosman, I., G.S. Boland, L. Martin, and C. Chandler, 1987. Underwater Sightings of Sea Turtles in the Northern Gulf of Mexico. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS 87-0107, 37 pp.
- Ruebsamen, R.N., 2003. Letter concerning the public notice for permit application number 200300203 (IP-PK) (Navy Key West dredging) from the National Marine Fisheries Service (NOAA Fisheries), Habitat Conservation Division to Colonel James May, Corps of Engineers, Regulatory Division, South Permits Branch, Miami, FL dated February 12, 2003.
- Ryder, T.S., E. Standora, M. Eberle, J. Edbauer, K. Williams, S. Morreale, and A. Bolten, 1994. Daily movements of Adult Male and Juvenile Loggerhead Turtles (*Caretta caretta*) at Cape Canaveral, Florida. In: K.A. Bjorndal, A.B. Bolten, D.A. Johnson, and P.J. Eliazar (comps.), Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation, NOAA Tech. Mem. NMFS-SEFSC-351, p. 131.
- Saloman, C.H., 1974. Physical, Chemical, and Biological Characteristics of Nearshore Zone of Sand Key, Florida, Prior to Beach Restoration. National Marine Fisheries Service, Gulf Coastal Fisheries Center, Panama City Laboratory, Panama City, FL.
- Saloman, C.H., S.P. Naughton, and J.L. Taylor, 1982. Benthic Community Response to Dredging Borrow Pits, Panama City Beach, Florida. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Miscellaneous Report Number 82-3, 138 pp.
- Sanders, H.L., 1958. Benthic studies in Buzzards Bay. I. Animal-sediment relationships. Limnology and Oceanography, 3: 245-258.
- Santos, J., M. Wimbush, T.N. Lee, and L.J. Pietrafesa, 1990. Gulf Stream and wind-induced current variability on the northeastern Florida continental shelf. Continental Shelf Research, 10(3): 203-224.
- SAS Institute Inc., 1989. SAS/STAT User's Guide, Version 6, Fourth Edition, Volume 1. SAS Institute Inc., Cary, NC, 943 pp.

- Sastry, A.N., 1978. Physiology and Ecology of Reproduction in Marine Invertebrates. In: F.J. Vernberg (ed.), Physiological Ecology of Estuarine Organisms, University of South Carolina Press, Columbia, SC, pp. 279-299.
- Schaeff, C.M., S.D. Kraus, M.W. Brown, and B.N. White, 1993. Assessment of the population structure of western North Atlantic right whales (*Eubalaena glacialis*) based on sighting and mtDNA data. Canadian Journal of Zoology, 71(2): 339-345.
- Schaffner, L.C. and D.F. Boesch, 1982. Spatial and temporal resource use by dominant benthic Amphipoda (Ampeliscidae and Corophiidae) on the Middle Atlantic Bight outer continental shelf. Marine Ecological Progress Series, 9: 231-243.
- Schmid, J.R., 1995. Marine turtle populations on the east-central coast of Florida: results of tagging studies at Cape Canaveral, Florida, 1986-1991. Fishery Bulletin, 93: 139-151.
- Schmid, J.R. and L.H. Ogren, 1992. Subadult Kemp's Ridley Sea Turtles in the Southeastern U.S.: Results of Long-Term Tagging Studies. In: M. Salmon and J. Wyneken (comps.), Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation, NOAA Tech. Mem. NMFS-SEFSC-302, pp. 102-103.
- Schroeder, B.A. and N.B. Thompson, 1987. Distribution of the Loggerhead Turtle, *Caretta caretta*, and the Leatherback Turtle, *Dermochelys coriacea*, in the Cape Canaveral, Florida Area: Results of Aerial Surveys. In: W.N. Witzell (ed.), Ecology of East Florida Sea Turtles, Proceedings of a Cape Canaveral, Florida Sea Turtle Workshop, Miami, Florida, February 26-27, 1985, NOAA Tech. Rep. NMFS 53, pp. 45-53.
- Searles, R.B. and C.W. Schneider, 1980. Biogeographic affinities of the shallow and deep water benthic marine algae of North Carolina. Bulletin of Marine Science, 30(3): 732-736.
- Serafy, D.K. and F.J. Fell, 1985. Marine flora and fauna of the United States. Echinodermata: Echinoidea. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Springfield, VA. NOAA Tech. Rep. 33.
- Shalowitz, A.L., 1964. Shoreline and Sea Boundaries, Volume 2. U.S. Department of Commerce Publication 10-1, U.S. Coast and Geodetic Survey, U.S. Government Printing Office, Washington, DC, 420 pp.
- Shaver, D.J., 1991. Feeding ecology of wild and headstarted Kemp's ridley sea turtles in South Texas waters. Journal of Herpetology, 25(3): 327-334.
- Sherk, J.A., Jr., 1971. The Effects of Suspended and Deposited Sediment on Estuarine Organisms: Literature Summary and Research Needs. University of Maryland, Natural Resources Institute, Chesapeake Biological Laboratory Contribution Number 43, 73 pp.
- Sherk, J.A., Jr., 1972. Current status of the knowledge of the biological effects of suspended and deposited sediments in Chesapeake Bay. Chesapeake Science, 13 (Suppl.): S137-S144.
- Sherk, J.A., Jr. and L.E. Cronin, 1970. The Effects of Suspended and Deposited Sediments on Estuarine Organisms, An Annotated Bibliography of Selected References. University of Maryland, Chesapeake Biological Laboratory, Natural Resources Institute, Reference Number 70-19, 62 pp.
- Sherk, J.A., J.M. O'Connor, and D.A. Newman, 1975. Effects of Suspended and Deposited Sediments on Estuarine Environments. In: L.F. Cronin (ed.), Estuarine Research Volume 2, Academic Press, New York, NY, pp. 541-558.
- Shoop, C.R., C.A. Ruckdeschel, and N.B. Thompson, 1985. Sea turtles in the southeast United States: Nesting activity as derived from aerial and ground surveys, 1982. Herpetologica, 41(3): 252-259.
- Simon, J.L. and D.M. Dauer, 1977. Reestablishment of a benthic community following natural defaunation. In: B.C. Coull (ed.), Ecology of Marine Benthos. The Belle W. Baruch Library in Marine Science Number 6. University of South Carolina Press, Columbia, SC, pp. 113-137.

- Slay, C.K., 1995. Sea Turtle Mortality Related to Dredging Activities in the Southeastern U.S.: 1991. In: J.I. Richardson and T.H. Richardson (comps.), Proceedings of the Twelfth Annual Workshop on Sea Turtle Biology and Conservation, Jekyll Island, GA, NOAA Tech. Mem. NMFS-SEFSC-361, pp. 132-133.
- Slay, C.K., S.D. Kraus, P.K. Hamilton, A.R. Knowlton, and L.A. Conger, 1998. Early Warning System 1994-1997 Aerial Surveys to Reduce Ship/Whale Collisions in the North Atlantic Right Whale Calving Ground. Draft Summary Report by the New England Aquarium, Boston, MA for the International Whaling Commission, 18 pp. + app.
- Smith, J.M., D.T. Resio, and A.K. Zundel, 1999. STWAVE: Steady-State Spectral Wave Model. Instructional Report CHL-99-1, U.S. Army Engineering Waterways Experiment Station, Vicksburg, MS.
- Smith, N.P., 1981. An Investigation of Seasonal Upwelling along the Atlantic Coastal of Florida. In: J.C. Nihoul (ed.), Ecohydrodynamics. Elsevier Scientific Publishing Company, London.
- Smith, N.P., 1982. Response of Florida Atlantic shelf waters to Hurricane David. Journal of Geophysical Research, 87(C3): 2,007-2,016.
- Smith, N.P., 1983. Temporal and spatial characteristics of summer upwelling along Florida's Atlantic shelf. Journal of Physical Oceanography, 13(9): 1,709-1,715.
- Smith, N.P., 1987. Near-bottom cross-shelf heat flux along Central Florida's Atlantic shelf break: winter months. Journal of Geophysical Research, 92(C10): 10,845-10,852.
- Snelgrove, P.V.R. and C.A. Butman, 1994. Animal-sediment relationships revisited: cause versus effect. Oceanography and Marine Biology Annual Review, 32: 111-177.
- Sosnowski, R.A., 1984. Sediment Resuspension Due to Dredging and Storms: An Analogous Pair. In: R.L. Montgomery and J.W. Leach (eds.), Conference Proceedings, Dredging '84, Dredging and Dredged Material Disposal, 14-16 November 1984, Clearwater Beach, FL, American Society of Civil Engineers, pp. 609-618.
- South Atlantic Fishery Management Council, 1998a. Comprehensive Amendment Addressing Essential Fish Habitat in Fishery Management Plans of the South Atlantic Region. South Atlantic Fishery Management Council, Charleston, SC.
- South Atlantic Fishery Management Council, 1998b. Habitat Plan for the South Atlantic Region: Essential Fish Habitat Requirements for Fishery Management Plans of the South Atlantic Fishery Management Council. South Atlantic Fishery Management Council, Charleston, SC.
- South Atlantic Fishery Management Council, 2002. Final Fishery Management Plan for Pelagic Sargassum Habitat of the South Atlantic Region. South Atlantic Fishery Management Council, Charleston, SC.
- Southeast Area Monitoring and Assessment Program-South Atlantic (SEAMAP-SA), 2001. Distribution of bottom habitats on the continental shelf from North Carolina through the Florida Keys. SEAMAP-SA Bottom Mapping Workgroup, Atlantic States Marine Fisheries Commission, Washington, D.C., 166 pp.
- Stafford-Smith, M.G., 1993. Sediment-rejection efficiency of 22 species of Australian scleractinian corals. Marine Biology, 115: 229-243.
- Stafford-Smith, M.G. and R.F.G. Ormond, 1992. Sediment-rejection mechanisms of 42 species of Australian scleractinian corals. Australian Journal of Marine and Freshwater Research, 43: 683-705.
- State of the Coast Report, 1996. http://www.dep.state.fl.us/beaches/programs/about.htm.
- Stauble, D.S. and D.F. McNeill, 1985. Coastal Geology and Occurrence of Beachrock: Central Florida Atlantic Coast. Guidebook for Field Trip #4, Geological Society of America Annual Convention, Orlando, FL, 68 pp.

- Stephenson, W.W.T., S.D. Cook, and J.S. Newland, 1978. The macrobenthos of the Middle Banks of Moreton Bay. Memoirs of the Queensland Museum, 18: 95-118.
- Stern, E.M. and W.B. Stickle, 1978. Effects of Turbidity and Suspended Material in Aquatic Environments: Literature Review. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Tech. Rep. D-78-21, 117 pp.
- Stobutzki, I.C. and D.R. Bellwood, 1998. Nocturnal orientation to reefs by late pelagic stage coral reef fishes. Coral Reefs 17: 103-110.
- Strahler, A.N., 1966. Tidal cycle of changes in an equilibrium beach, Sandy Hook, New Jersey. Journal of Geology, 74: 247-268.
- Strushaker, P., 1969. Demersal fish resources: composition, distribution, and commercial potential of the continental shelf stocks off the southeastern United States. U.S. Fish and Wildlife Service, Fishery Industrial Research, 4(7): 261-300.
- Studt, J.F., 1987. Amelioration of Maintenance Dredging Impacts on Sea Turtles, Canaveral Harbor, Florida. In: W. Witzell (ed.), Ecology of East Florida Sea Turtles, Proceedings of the Cape Canaveral, Florida Sea Turtle Workshop, Miami, FL, NOAA Tech. Rep. NMFS 53, pp. 55-58.
- Sutter, F.C., III, R.O. Williams, and M.F. Godcharles, 1991. Movement patterns of stock affinities of king mackerel in the southeastern United States. Fishery Bulletin, 89: 315-324.
- Swainson, O.W., 1928. Topographic Manual. Special Publication No. 144, U.S. Coast and Geodetic Survey, Washington, U.S. Government Printing Office, 121 pp.
- Swift, D.J.P., 1976. Continental Shelf Sedimentation. In: D.J. Stanley and D.J.P. Swift (eds.), Marine Sediment Transport and Environmental Management. Wiley and Sons, New York, NY, pp. 311-350.
- Taylor, A.S., 1990. The Hopper Dredge. In: D.D. Dickerson and D.A. Nelson (comps.), Proceedings of the National Workshop on Methods to Minimize Dredging Impacts on Sea Turtles, Jacksonville, FL, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS, Miscellaneous Paper EL-90-5, pp. 59-63.
- Teas, W.G., 1993. Species Composition and Size Class Distribution of Marine Turtle Strandings on the Gulf of Mexico and Southeast United States Coasts, 1985-1991. NOAA Tech. Mem. NMFS-SEFSC-315, 43 pp.
- Telesnicki, G.J. and W.M. Goldberg, 1995. Effects of turbidity on the photosynthesis and respiration of two south Florida reef coral species. Bulletin of Marine Science, 57(2): 527-539.
- Tenore, K.R., 1985. Seasonal Changes in Soft Bottom Macrofauna of the U.S. South Atlantic Bight. In: P. Atkinson, D.W. Menzel, and K.A. Bush (eds.), Oceanography of the Southeastern U.S. Continental Shelf, American Geophysical Union, Washington, DC, pp. 130-140.
- Thayer, C.W., 1983. Sediment-Mediated Biological Disturbance and the Evolution of Marine Benthos. In: M.J.S. Tevesz and P.L. McCall (eds.), Biotic Interactions in Recent and Fossil Benthic Communities, Plenum Press, NY, pp. 479-625.
- Thistle, D., 1981. Natural physical disturbances and communities of marine soft bottoms. Marine Ecology Progress Series, 6: 223-228.
- Thompson, J.R., 1973. Ecological Effects of Offshore Dredging and Beach Nourishment: A Review. U.S. Army Engineer Waterways Experiment Station Miscellaneous Paper 1-73. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Report 1-73.
- Thompson, N.B. and H. Huang, 1993. Leatherback Turtles in Southeast U.S. Waters. NOAA Tech. Mem. NMFS-SEFSC-318, 11 pp.
- Thorson, G., 1957. Bottom communities (sublittoral or shallow shelf). Geological Society of America Memoir, 67: 461-534.

- Thorson, G., 1964. Light as an ecological factor in the dispersal and settlement of larvae of marine bottom invertebrates. Ophelia, 1(1): 167-208.
- Thorson, G., 1966. Some factors influencing the recruitment and establishment of marine benthic communities. Netherlands Journal of Sea Research, 3(2): 267-293.
- Tolimieri, N., A. Jeffs, and J. Montgomery, 2000. Ambient sound as a cue for navigation by the pelagic larvae of reef fishes. Marine Ecology Progress Series 207: 219-224.
- Torres, J.L. and J. Morelock, 2002. Effect of terrigenous sediment influx on coral cover and linear extension rates of three Caribbean massive coral species. Caribbean Journal of Science, 38(3-4): 222-229.
- Turbeville, D.B. and G.A. Marsh, 1982. Benthic Fauna of an Offshore Borrow Area in Broward County, Florida. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Miscellaneous Report 82-1, 43 pp.
- U.S. Army Corps of Engineers, 1967. Beach Erosion Control Study of Brevard County, Florida. Jacksonville, FL, 42 pp.
- U.S. Army Corps of Engineers, 1996. Brevard County, Florida, Shore Protection Review Study, Feasibility Report with Final Environmental Impact Statement, Appendix A: Engineering Analysis and Design. U.S. Army Engineer District, Jacksonville, FL, 61 pp.
- U.S. Army Corps of Engineers, 1999a. Final Environmental Assessment and Finding of No Significant Impact at Canaveral Shoals Borrow Area II. U.S. Army Corps of Engineers, Jacksonville District, 54 pp.
- U.S. Army Corps of Engineers, 1999b. Hopper Dredge Sea Turtle Deflector Draghead and Operational Requirements. Web page http://www.saj.usace.army.mil/pd/turtle.htm.
- U.S. Fish and Wildlife Service, 1996. Florida Manatee Recovery Plan (*Trichechus manatus latirostris*), Second Revision. Florida Manatee Recovery Team for the U.S. Fish and Wildlife Service, Southeast Region, Atlanta, GA, Approved January 29, 1996.
- Uchupi, E., 1968. Atlantic Continental Shelf and Slope of the United States: Physiography. U.S. Geological Survey Professional Paper 529-C, 30 pp.
- Uchupi, E., 1969. Morphology of the Continental Margin off southeastern Florida. Southeastern Geology, 11(2): 129-134.
- Umar, M.J., L.J. McCook, and I.R. Price, 1998. Effects of sediment deposition on the seaweed *Sargassum* on a fringing coral reef. Coral Reefs, 17: 169-177.
- van den Hoek, C., 1975. Phytogeographic provinces along the coasts of the northern Atlantic Ocean. Phycologia, 14(4): 317-330.
- Van Dolah, R.F., 1996. Impacts of Beach Nourishment on the Benthos: What Have We Learned? Proceedings of the Twenty-Fourth Annual Benthic Ecology Meeting, Columbia, SC, p. 82.
- Van Dolah, R.F., D.R. Calder, and D.M. Knott, 1984. Effects of dredging and open-water disposal on benthic macroinvertebrates in a South Carolina estuary, Estuaries, 7: 28-37.
- Van Dolah, R.F., P.H. Wendt, R.M. Martore, M.V. Levisen, and W.A. Roumillat, 1992. A Physical and Biological Monitoring Study of the Hilton Head Beach Nourishment Project. South Carolina Wildlife and Marine Resources Department, Marine Resource Research Institute for the Town of Hilton Head Island and South Carolina Coastal Council, 159 pp.
- Van Dolah, R.F., R.M. Martore, and M.V. Levisen, 1993. Supplemental Report for the Physical and Biological Monitoring Study of the Hilton Head Beach Nourishment Project. South Carolina Marine Resources Division, Marine Resources Research Institute for the Town of Hilton Head Island, SC.

- Van Dolah, R.F., B.J. Digre, P.T. Gayes, P. Donovan-Ealy, and M.W. Dowd, 1998. An Evaluation of Physical Recovery Rates in Sand Borrow Sites Used for Beach Nourishment Projects in South Carolina. South Carolina Department of Natural Resources, Marine Resources Research Institute for the U.S. Department of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, 76 pp. + app.
- Vare, C.N., 1991. A Survey, Analysis, and Evaluation of the Nearshore Reefs Situated off Palm Beach County, Florida. M.S. Thesis, Florida Atlantic University, Boca Raton, FL, 165 pp.
- Vinyard, G.L. and J.W. O'Brien, 1976. Effects of light and turbidity on the reactive distance of bluegill (*Lepomis macrochirus*). Journal of the Fisheries Research Board of Canada, 33: 2,845-2,849.
- Walker, T.A. and G. O'Donnell, 1981. Observations on nitrate, phosphate and silicate in Cleveland Bay, Northern Queensland. Australian Journal of Marine and Freshwater Research, 32: 877-887.
- Walton, T.L., 1976. Littoral Drift Estimates Along the Coastline of Florida. Sea Grant Report No. 13, State University System of Florida, Gainesville, FL, 41 pp.
- Wang, H., S.L. Schofield, L.H. Lin, and S.B. Malakar, 1990. Wave Statistics Along the Florida Coast: A Comparison of Data, 1984-1989. Florida Coastal Data Network, Coastal and Oceanographic Engineering Department, University of Florida, Gainesville, FL.
- Waring, G.T., D.L. Palka, P.J. Clapham, S. Swartz, M. Rossman, T. Cole, L.J. Hansen, K.D. Bisack, K. Mullin, R.S. Wells, D.K. Odell, and N.B. Barros, 1999. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 1999. NOAA Tech. Mem. NMFS-NEFSC, 200 pp.
- Warwick, R.M., 1980. Population Dynamics and Secondary Production of Benthos. In: K.R Tenore and B.C. Coull (eds.), Marine Benthic Dynamics, University of South Carolina Press, Columbia, SC, pp. 1-24.
- Weakley, J., 2001. Reefs in reverse. Florida Sportsman, 33(6): 75-80.
- Weber, M., 1995. Kemp's Ridley Sea Turtle, *Lepidochelys kempii*. In: P.T. Plotkin (ed.), National Marine Fisheries Service and U. S. Fish and Wildlife Service Status Reviews for Sea Turtles Listed under the Endangered Species Act of 1973, Silver Spring, MD.
- Wenner, C.A. and G.R. Sedberry, 1989. Species Composition, Distribution, and Relative Abundance of Fishes in the Coastal Habitats off the Southeastern United States. NOAA Tech. Rep. NMFS 79, 49 pp.
- Wenner, E.L. and T.H. Read, 1982. Seasonal composition and abundance of decapod crustacean assemblages from the South Atlantic Bight, USA. Bulletin of Marine Science, 32(1): 181-206.
- Werner, S.A. and A.M. Landry, Jr., 1994. Feeding Ecology of Wild and Head Started Kemp's Ridley Sea Turtles (*Lepidochelys kempii*). In: K.A. Bjorndal, A.B. Bolten, D.A. Johnson, and P.J. Eliazar (comps.), Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation, NOAA Tech. Mem. NMFS-SEFSC-351, p. 163.
- Wesseling, I., A.J. Uychiaoco, P.M. Aliño, T. Aurin, and J.E. Vermaat, 1999. Damage and recovery of four Philippine corals from short-term sediment burial. Marine Ecology Progress Series, 176: 11-15.
- Weston, D.P., 1988. Macrobenthos-sediment relationships on the continental shelf off Cape Hatteras, North Carolina. Continental Shelf Research, 8(3): 267-286.
- Whitlatch, R.B., A.M. Lohrer, S.F. Thrush, R.D. Pridmore, J.E. Hewitt, V.J. Cummings, and R.N. Zajac, 1998. Scale-dependent benthic recolonization dynamics: Life stage-based dispersal and demographic consequences. Hydrobiologia, 375/376: 217-226.
- Wigley, R.L. and R.B. Theroux, 1981. Atlantic Continental Shelf and Slope of the United States—Macrobenthic Invertebrate Fauna of the Middle Atlantic Bight Region—Faunal Composition and Quantitative Distribution. U.S. Geological Survey Professional Paper 529-N.

- Wilber, D.H. and D.G. Clarke, 2001. Biological effects of suspended sediments: A review of suspended sediment impacts on fish and shellfish with relation to dredging activities in estuaries. North American Journal of Fisheries Management, 21: 855-875.
- Wilber, P. and M. Stern, 1992. A Re-Examination of Infaunal Studies That Accompany Beach Nourishment Projects. In: New Directions in Beach Management: Proceedings of the 5th Annual National Conference on Beach Preservation Technology, Florida Shore and Beach Preservation Association, Tallahassee, FL, pp. 242-257.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon, 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fishery Bulletin, 93: 196-205.
- Winn, H.E. (ed.), 1982. A Characterization of Marine Mammals and Turtles in the Mid- and North Atlantic Areas of the U.S. Outer Continental Shelf, Final Report of the Cetacean and Turtle Assessment Program. University of Rhode Island, Kingston, RI for the U.S. Department of the Interior, Bureau of Land Management, Washington, DC, National Technical Information Service PB83-215855.
- Witzell, W.N., 1998. Long-term tag returns from juvenile Kemp's ridley turtles. Marine Turtle Newsletter, 79: 20.
- Worm, B., H.K. Lotze, and R.A. Myers, 2003. Predator diversity hotspots in the blue ocean. Proceedings of the National Academy of Sciences USA, 100(17): 9,884-9,888.
- Wright, D.G., 1977. Artificial Islands in the Beaufort Sea: A Review of Potential Impacts. Department of Fisheries and Environment, Winnipeg, Manitoba, 38 pp.
- Wynne, K. and M. Schwartz, 1999. Guide to Marine Mammals and Turtles of the U.S. Atlantic and Gulf of Mexico. University of Rhode Island, Rhode Island Sea Grant, Narragansett, RI, 114 pp.
- Yentsch, C.S., C.M. Yentsch, J.J. Cullen, B. Lapointe, D.A. Phinney, and S.W. Yentsch, 2002. Sunlight and water transparency: cornerstones in coral research. Journal of Experimental Marine Biology and Ecology, 268: 171-183.
- Young, D.K. and D.C. Rhoads, 1971. Animal-sediment relations in Cape Cod Bay, Massachusetts. I. A transect study. Marine Biology, 11(3): 242-254.
- Zajac, R.N. and R.B. Whitlatch, 1982. Responses of estuarine infauna to disturbance. I. Spatial and temporal variation of initial recolonization. Marine Ecology Progress Series, 10: 1-14.
- Zantopp, R.J., K.D. Leaman, and T.N. Lee, 1987. Florida Current meanders: A close look in June-July 1984. Journal of Physical Oceanography, 17: 584-595.
- Zawila, J.S., 1994. Analysis of a Seismic Air Gun Acoustic Dispersal Technique at the Fort Pierce Sea Turtle Trial Site. Contract Report to U.S. Army Engineer Waterways Experiment Station. As excerpted in: Sea Turtle Research Program Summary Report. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS for U.S. Army Engineer Division, South Atlantic, Atlanta, GA and U.S. Naval Submarine Base, Kings Bay, GA, Tech. Rep. CHL-97-31, National Technical Information Service ADA332588, 147 pp.